

093140-1104




FIG. 1




FIG. 2A




FIG. 2B




FIG. 2C

FIGURE 3

<u>letter to be selected</u>	<u>1st key entry</u>	<u>2nd key entry</u>
A	2	1
B	2	2
C	2	3
D	3	1
E	3	2
F	3	3
G	4	4
H	4	5
I	4	6
J	5	4
K	5	5
L	5	6
M	6	4
N	6	5
O	6	6
P	7	7
R	7	8
S	7	9
T	8	7
U	8	8
V	8	9
W	9	7
X	9	8
Y	9	9
Q	7	*
Z	9	#

0993140-11601

56 →




FIG. 4

FIGURE 5

<u>symbol to be selected</u>	<u>1st key entry</u>	<u>2nd key entry</u>
!	1	1
@	1	2
\$	1	3
%	1	*
&	1	#
(	3	*
)	3	#
:	4	*
/	6	#
+	*	*
-	*	#
?	0	*
“	0	#
.	#	*
,	#	#
*	*	0
#	#	0




FIG. 6

FIGURE 7

<u>letter to be selected</u>	<u>1st key entry</u>	<u>2nd key entry</u>
A	2	2
B	2	5
C	2	8
D	3	3
E	3	6
F	3	9
G	4	1
H	4	4
I	4	7
J	5	2
K	5	5
L	5	8
M	6	3
N	6	6
O	6	9
P	7	1
R	7	4
S	7	7
T	8	2
U	8	5
V	8	8
W	9	3
X	9	6
Y	9	9
Q	7	0
Z	9	0




FIG. 8



FIGURE 9

<u>letter to be selected</u>	<u>1st key entry</u>	<u>2nd key entry</u>
A	2	2
B	2	5
C	2	8
D	3	3
E	3	6
F	3	9
G	4	1
H	4	4
I	4	7
J	5	2
K	5	5
L	5	8
M	6	3
N	6	6
O	6	9
P	7	1
Q	7	4
R	7	7
S	7	*
T	8	2
U	8	5
V	8	8
W	9	3
X	9	6
Y	9	9
Z	9	#

Copyright © 1993 by John Wiley & Sons, Inc.




FIG. 10




FIG. 11A

FIG. 11B




FIG. 11C

FIG. 11D




FIG. 12A

FIG. 12B

FIG. 12C

Diagram illustrating a 12-key telephone keypad layout 110. The keypad is a 4x3 grid of circular buttons. The buttons are labeled: Row 1: 1, 2 (with a squiggle over it), 3 (DEF); Row 2: 4 (GHI), 5 (JKL), 6 (MNO); Row 3: 7 (PRS, Q), 8 (TUV), 9 (WXY, Z); Row 4: \*, 0, #. A squiggle is drawn over the number 2 and its letters ABC. A reference numeral 122 points to the squiggle, and 110 points to the entire keypad.

FIG. 13D

110